



■ Specifications :


- Voltage rating: 250V AC / DC
- Current rating: 2A AC / DC
- Withstanding voltage: 1000V AC/minute
- Temperature range: -25°C~+85°C
- Insulation resistance: $\geq 1000M\Omega$
- Contact resistance: $\leq 20m\Omega$
- After environmental testing: $\leq 30m\Omega$

4601 T X-X XX X -L
 ① ② ③ ④ ⑤ ⑥ ⑦


- ① Series Number
- ② Category: T-terminal
- ③ Shape: Blank-Ordinary
- ④ Material: P-Phosphor bronze
B-Brass
- ⑤ Plating style: V01- All Gold-Plated
G01-Gold Plated Contact
SN-Bright tin plating
- ⑥ Plating method: Blank-Stamping before plating
- ⑦ Mold No./Mark/Special No. : L- Big Gap




SECTION: A-A
SCALE: 1:1



SECTION: B-B
SCALE: 1:1





SECTION: C-C
SCALE: 1:1



SECTION: D-D
SCALE: 1:1


4601T-BG01-L	Brass	AWG#26-30	1.40mm(Max)	Stamping Before Pating:30u" MIN.Ni; Contact Area Gold;Gold Flash	4601H
PART NO	Material	Wire Range	Insulation O.D.	Finish	Used In ADZL Housing

DATE	OLD REV	NEW REV	ECN	DESCRIPTION	CHECK	APPROVAL
1			2			

GENERAL TOLERANCE	
.X	± 0.30
.XX	± 0.20
.XXX	± 0.10
PROJECT	
	


 东莞市思量连接器有限公司 DONGGUAN ADZL CONNECTORS CO.,LTD.			
APPROVAL	CHECK	DRAWN	DATA
Ken	Wisely He	Allen	2021/06/05

PART NO. 4601T-XXX-L			
TITLE 2.00mm Crimp Style Connectors			
UNIT	SCALE	NUMBER	REV
MM	1:1	A-019	E




■ Specifications :

- Voltage rating: 250V AC / DC
- Current rating: 2A AC / DC
- Withstanding voltage: 1000V AC/minute
- Temperature range: -25°C~+85°C
- Insulation resistance: ≥1000MΩ
- Contact resistance: ≤20mΩ
- After environmental testing: ≤30mΩ



		4601H
4601B-KEY	PBT UL 94V-0 Black	
PART NO	Material	Suitable ADZL Housing

							GENERAL TOLERANCE	 思量连接器有限公司 ADZL CONNECTORS CO.,LTD				PART NO. 4601B-KEY			
							.X ±0.30 .XX ±0.20 .XXX ±0.10					TITLE 2.00 mm Crimp Style connectors			
DATE	OLD REV	NEW REV	ECN	DESCRIPTION	CHECK	APPROVAL	PROJECT	APPROVAL	CHECK	DRAWN	DATA	UNIT	SCALE	NUMBER	REV
							Ken	Wisely He	Allen	2018/07/29		MM	1:1	A-057	C